

1. Identification of the substance/ mixture and of the company/ undertaking

Product identifier

Trade name: LEYBONOL LVO 250

Product description: Synthetic oil (ester oil with additives)

Relevant identified uses of the substance or mixture and uses advised against

Use: Lubricant for bearings, Synthetic lubricating oil for general purpose aircraft use.

Order number:	Number	Package Size
	L25000	0,3 Liter

Details of the supplier of the safety data sheet

Supplier	Leybold GmbH Bonner Strasse 498 D-50968 Cologne Phone +49-221-347-0 Fax +49-221-347-1250 Internet www.leybold.com
----------	--

E-Mail: documentation@leybold.com

Emergency telephone number: +49/ (0)700 24112112 (OLC)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3: H412: Harmful to aquatic life with long lasting effects. |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms: No Hazard Symbol required |

Signal word: No signal word |

Hazard statements: PHYSICAL HAZARDS:
Not classified as a physical hazard according to CLP criteria.
HEALTH HAZARDS:
Not classified as a health hazard under CLP criteria.
ENVIRONMENTAL HAZARDS:
H412 Harmful to aquatic life with long lasting effects. |

Precautionary statements: Prevention:
P273 Avoid release to the environment.
Response:
No precautionary phrases.
Storage:
No precautionary phrases.
Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Sensitising components:

Contains triazole derivatives.
May produce an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

3. Composition/information on ingredients**3.2 Mixtures****Chemical nature:**

Blend of synthetic esters and additives.

Chemical Name	CAS-No. EG-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Barium alkaryl sulphonate		Acute Tox.4; H302 Skin Irrit.2; H315 Acute Tox.4; H332	1 - 5
Butylated hydroxytoluene	128-37-0 204-881-4 / 01- 2119565113-46	Aquatic Chronic1; H410 Aquatic Acute1; H400	1 – 2,4
Triazole derivative	91273-04-0 401-280-0	Skin Corr.1B; H314 Aquatic Chronic1; H410 Skin Sens.1; H317	0,01 - 0,09

For explanation of abbreviations see section 16.

4. First aid measures**4.1 Description of first aid measures****General advice:**

Not expected to be a health hazard when used under normal conditions.

Protection of first-aiders:

When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

If inhaled:

No treatment necessary under normal conditions of use.
If symptoms persist, obtain medical advice.

In case of skin contact:

Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.
If persistent irritation occurs, obtain medical attention.

In case of eye contact:

Flush eye with copious quantities of water.
If persistent irritation occurs, obtain medical attention.

If swallowed: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas.
Ingestion may result in nausea, vomiting and/or diarrhoea. |

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Notes to doctor/physician:
Treat symptomatically. |

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing Media: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media: Do not use water in a jet media. |

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs.
Unidentified organic and inorganic compounds. |

5.3 Advice for firefighters

Special protective equipment for fire-fighters: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469). |

Specific extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: 6.1.1 For non-emergency personnel:
Avoid contact with skin and eyes.
6.1.2 For emergency responders:
Avoid contact with skin and eyes. |

6.2 Environmental precautions

Environmental precautions: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained. |

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly. |

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet. |

7. Handling and storage

General Precautions: Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material. |

7.1 Precautions for safe handling

Advice on safe handling: Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. |

Product Transfer: This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations. |

Fire-fighting class: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures. |

7.2 Conditions for safe storage, including any incompatibilities

Storage class (TRGS 510): 10, Combustible liquids |

Other data: Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. |

Storage temperature: -50 - 50 °C Refer to section 15 for any additional specific legislation covering the packaging and storage of this product. |

Packaging material: Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC. |

Container Advice: Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion. |

7.3 Specific end use(s) Recommendations

Specific use(s): Not applicable. |

8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Biological occupational exposure limits:

No biological limit allocated. |

Monitoring Methods:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA:

Manual of Analytical Methods <http://www.cdc.gov/niosh/>

Occupational Safety and Health Administration (OSHA), USA:

Sampling and Analytical Methods

<http://www.osha.gov/>

Health and Safety Executive (HSE), UK: Methods for the

Determination of Hazardous Substances

<http://www.hse.gov.uk/>

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA) , Germany

<http://www.dguv.de/inhalt/index.jsp>

L'Institut National de Recherche et de Sécurité, (INRS), France

<http://www.inrs.fr/accueil> |

8.2 Exposure controls

Engineering measures:

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated. |

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.
Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection: If material is handled such that it could be splashed into eyes, protective eyewear is recommended.
Approved to EU Standard EN166.

Hand protection

Remarks: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.
Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.

Skin and body protection: Skin protection is not ordinarily required beyond standard work clothes.
It is good practice to wear chemical resistant gloves.

Respiratory protection: No respiratory protection is ordinarily required under normal conditions of use.
In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material.
If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation.

Check with respiratory protective equipment suppliers.
Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.
Select a filter suitable for combined particulate/organic gases and vapours [Type A/Type P boiling point > 65°C (149°F)] meeting EN14387 and EN143.

Thermal hazards: Not applicable

Environmental exposure controls

General advice:

Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water.

Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid at room temperature.	
Colour	Amber.	
Odour	Slight hydrocarbon	
Odour threshold	Data not available.	
pH	Not applicable.	
Pour point	<= -60 °C Method: Unspecified	
Initial boiling point and boiling range:	> 280 ° Estimated value(s)	
Flash point :	220 °C Method: Unspecified	
Evaporation rate:	Data not available	
Flammability (solid, gas):	Data not available	
Upper explosion limit:	Typical 10 %(V)	
Lower explosion limit:	Typical 1 %(V)	
Vapour pressure:	< 0,5 Pa (20 °C) estimated value(s)	
Relative vapour density:	> estimated value(s)	
Relative density:	0,920 (15 °C)	
Density :	920 kg/m ³ (15,0 °C) Method: Unspecified	
Solubility(ies)		
Water solubility:	negligible	
Solubility in other solvents:	Data not available	
Partition coefficient: noctanol/ water:	Pow: > 6(based on information on similar products)	
Auto-ignition temperature:	> 320 °C	
Viscosity		
Viscosity, dynamic:	Data not available	
Viscosity, kinematic:	8,2 mm ² /s (54,4 °C) Method: Unspecified	
	11,000 mm ² /s (-53,9 °C) Method: Unspecified	
Explosive properties:	Not classified	
Oxidizing properties:	Data not available	

9.2 Other information

Conductivity:	This material is not expected to be a static accumulator.	
Decomposition temperature:	Data not available	

10. Stability and reactivity

10.1 Reactivity: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph. |

10.2 Chemical stability: Stable.
No hazardous reaction is expected when handled and stored according to provisions. |

10.3 Possibility of hazardous reactions

Hazardous reactions: Reacts with strong oxidising agents. |

10.4 Conditions to avoid

Conditions to avoid: Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition products: Hazardous decomposition products are not expected to form during normal storage.

11. Toxicological information

11.1 Information on toxicological effects

Basis for assessment: Information given is based on data on the components and the toxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s). |

Information on likely routes of exposure: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion. |

Acute toxicity

Product:

Acute oral toxicity: LD50 rat: > 5.000 mg/kg
Remarks: Expected to be of low toxicity. |

Acute inhalation toxicity: Remarks: Not considered to be an inhalation hazard under normal conditions of use.

Acute dermal toxicity: LD50 Rabbit: > 5.000 mg/kg
Remarks: Expected to be of low toxicity. |

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation**Product:****Remarks:** Expected to be slightly irritating.**Respiratory or skin sensitization****Product:****Remarks:** For respiratory and skin sensitisation: Not expected to be a sensitiser. |**Germ cell mutagenicity****Product:****Remarks:** Not considered a mutagenic hazard. |**Carcinogenicity****Product:****Remarks:** Not expected to be carcinogenic. |

Material	GHS/CLP Carcinogenicity Classification
Barium alkaryl sulphonate	No carcinogenicity classification.
Butylated hydroxytoluene	No carcinogenicity classification.
Triazole derivative	No carcinogenicity classification.

Reproductive toxicity**Product:****Remarks:** Not expected to impair fertility. Not expected to be a developmental toxicant. |**STOT - single exposure****Product:****Remarks:** Not expected to be a hazard. |**STOT - repeated exposure****Product:****Remarks:** Not expected to be a hazard. |**Aspiration toxicity****Product:**

Not considered an aspiration hazard. |

Further information**Product:****Remarks:** Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on

disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment: This product does not meet the criteria for classification in categories 1A/1B.

Carcinogenicity - Assessment: This product does not meet the criteria for classification in categories 1A/1B.

Reproductive toxicity - Assessment: This product does not meet the criteria for classification in categories 1A/1B.

12. Ecological information

12.1 Toxicity

Basis for assessment: Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s). (LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).

Product:

Toxicity to fish (Acute toxicity): Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l

Toxicity to crustacean (Acute toxicity): Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l

Toxicity to algae/aquatic plants (Acute toxicity): Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l

Toxicity to fish (Chronic toxicity): Remarks: Data not available

Toxicity to crustacean (Chronic toxicity): Remarks: Data not available

Toxicity to microorganisms (Acute toxicity): Remarks: Data not available

Components:

Butylated hydroxytoluene:

M-Factor (Acute aquatic toxicity): 1

12.2 Persistence and degradability

Product:

Biodegradability: Remarks: Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment. |

12.3 Bioaccumulative potential

Product:

Bioaccumulation: Remarks: Contains components with the potential to bioaccumulate. |

**Partition coefficient: noctanol/
water:** Pow: > 6Remarks: (based on information on similar products) |

12.4 Mobility in soil

Product:

Mobility: Remarks: Liquid under most environmental conditions. If it enters soil, it will adsorb to soil particles and will not be mobile.
Remarks: Floats on water. |

12.5 Results of PBT and vPvB assessment

Product:

Assessment: This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB. |

12.6 Other adverse effects

Product:

Additional ecological information: Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.
Poorly soluble mixture. May cause physical fouling of aquatic organisms. |

13. Disposal considerations

13.1 Waste treatment methods

Product: Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment.
Waste, spills or used product is dangerous waste.
Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local regulations may be more stringent than regional or national requirements and must be complied with. |

Contaminated packaging: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local legislation

Waste catalogue: EU Waste Disposal Code (EWC):

Waste Code: 13 02 06*

Remarks: Classification of waste is always the responsibility of the end user.

14. Transport information**14.1 UN number**

ADN: Not regulated as a dangerous good

ADR: Not regulated as a dangerous good

RID: Not regulated as a dangerous good

IMDG: Not regulated as a dangerous good

IATA: Not regulated as a dangerous good

14.2 Proper shipping name

ADN: Not regulated as a dangerous good

ADR: Not regulated as a dangerous good

RID: Not regulated as a dangerous good

IMDG: Not regulated as a dangerous good

IATA: Not regulated as a dangerous good

14.3 Transport hazard class

ADN: Not regulated as a dangerous good

ADR: Not regulated as a dangerous good

RID: Not regulated as a dangerous good

IMDG: Not regulated as a dangerous good

IATA: Not regulated as a dangerous good

14.4 Packing group

ADN: Not regulated as a dangerous good

CDNI Inland Water Waste Agreement: NST 3411 Mineral Lubricating Oils

ADR: Not regulated as a dangerous good

RID: Not regulated as a dangerous good

IMDG: Not regulated as a dangerous good

IATA: Not regulated as a dangerous good

14.5 Environmental hazards

ADN: Not regulated as a dangerous good

ADR: Not regulated as a dangerous good

RID: Not regulated as a dangerous good

IMDG: Not regulated as a dangerous good

14.6 Special precautions for user

Remarks: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category: Not applicable

Ship type: Not applicable

Product name: Not applicable

Special precautions:	Not applicable
Additional Information:	MARPOL Annex 1 rules apply for bulk shipments by sea. ADN - Classified ID9006 only when carried in tank vessels.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV): Product is not subject to Authorisation under REACH.

Water contaminating class (Germany): WGK 2 water endangering
Remarks: Classification according VwVwS, Annex 2.

Volatile organic compounds: 0 %

Other regulations: Technische Anleitung Luft: Product not listed by name.
Observe section 5.2.5 in connection with section 5.4.9

Product is subject to Vorgaben der Betriebs-Sicherheits-Verordnung (BetrSichV).

Compliance with paragraph 22 of Youth Employment Law.

Compliance with Maternity Protection Act paragraphs 4 and 5

The components of this product are reported in the following inventories:

EINECS: All components listed or polymer exempt.
TSCA: All components listed.

15.2 Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other information

**REGULATION (EC) No 1272/2008
Chronic aquatic toxicity, Category 3,
H412:** Classification procedure: Expert judgement and weight of evidence determination.

Full text of H-Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

Abbreviations and Acronyms:

The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites. |

ACGIH = American Conference of Governmental Industrial Hygienists
ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road
AICS = Australian Inventory of Chemical Substances
ASTM = American Society for Testing and Materials
BEL = Biological exposure limits
BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
CAS = Chemical Abstracts Service
CEFIC = European Chemical Industry Council
CLP = Classification Packaging and Labelling
COC = Cleveland Open-Cup
DIN = Deutsches Institut für Normung
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
DSL = Canada Domestic Substance List
EC = European Commission
EC50 = Effective Concentration fifty
ECETOC = European Center on Ecotoxicology and Toxicology of Chemicals
ECHA = European Chemicals Agency
EINECS = The European Inventory of Existing Commercial Chemical Substances
EL50 = Effective Loading fifty
ENCS = Japanese Existing and New Chemical Substances Inventory
EWC = European Waste Code
GHS = Globally Harmonised System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IC50 = Inhibitory Concentration fifty
IL50 = Inhibitory Level fifty
IMDG = International Maritime Dangerous Goods
INV = Chinese Chemicals Inventory
IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables
KECI = Korea Existing Chemicals Inventory
LC50 = Lethal Concentration fifty
LD50 = Lethal Dose fifty per cent.
LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading
LL50 = Lethal Loading fifty
MARPOL = International Convention for the Prevention of Pollution From Ships
NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level
OE_HP V = Occupational Exposure - High Production Volume
PBT = Persistent, Bioaccumulative and Toxic
PICCS = Philippine Inventory of Chemicals and Chemical Substances
PNEC = Predicted No Effect Concentration
REACH = Registration Evaluation And Authorisation Of Chemicals
RID = Regulations Relating to International Carriage of Dangerous Goods by Rail
SKIN_DES = Skin Designation
STEL = Short term exposure limit
TRA = Targeted Risk Assessment

TSCA = US Toxic Substances Control Act
TWA = Time-Weighted Average
vPvB = very Persistent and very Bioaccumulative |

History

Date of issue: June 20, 2008

Date of revision: July 8, 2015

Version: C0

| Indicates information that has changed from previously issued version.

Notice to reader

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of Leybold. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent.